Monday, 14/04/2008 1:07:36 PM Julie Lecocq User: Customer : CU-DAR001 Dart Helicopters Services Job Number : 38591 **Estimate Number** : 10089 P.O. Number : 14/04/2008 S.O. No. : This Issue : NC Prsht Rev. : // First Issue Type : 37880 **Previous Run** Written By Checked & Approved By Comment **Additional Product** Job Number: Seq. #: PG 1.0

Process Sheet

Drawing Name

: BEARING

Part Number Drawing Number : D312123 : D3121 REVE

Project Number

: N/A : E

Drawing Revision Material

Due Date

: 21/04/2008

Qtv:

50 Um:

Each

04.02.19

KJ/DS Est Rev:B ECN 1060 07-11-12 DD verified by:EC

: PURCHASED PARTS



Machine Or Operation:

Description:

CL08/04/14



PURCHASING



Comment: PURCHASING

Issue P/O: Bearing as per Dwg D3121

Possible Supplier: SKF P/N: 61900-2Z or KML P/N: 6900-ZZ

Material release note is required

2.0 6900ZZ Bearing.





1.0000 Each(s)/Unit Total: Comment: Qty.: 50.0000 Each(s)

Bearing

3.0 **PACKAGING 1** PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Receive & Inspect for Transit Damage

Ensure Material Release Note is attached



4.0 QC6



Comment: DIMENSIONAL CHECK

Inspect dilmensions as per Dwg D3121 and attached certfication Dwg Rev

5.0

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

STGG Location:



coo

Dart Aerospace Ltd

W/O:		WORK ORDER	WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
Part No	:	PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date:			
			QA: N	I/C Close	d:	Date:			

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC		Corrective Action Section E	}	Verification			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector	
							1		

NOTE: Date & initial all entries

Date: User: Monday, 14/04/2008 1:07:36 PM

Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: BEARING

Job Number: 38591

Part Number: D312123

Job Number:



Seq. #:

Machine Or Operation:

Description:

6.0

QC21



FINAL INSPECTION/W/O RELEASE

08/04/22

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



Wolver

Dart Aerospace Ltd

W/O:			WORK ORDER	CHANGES			AP	
DATE	STEP	PR	OCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No		PAR #:	Fault Category:	NCR: Ye	s No DQ	A:	_ Date: _	<u> </u>
				QA	N/C Close	d:	_ Date: _	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC		Corrective Action Section B		Verification		Approval QC Inspector	
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng		
					}				

NOTE: Date & initial all entries



DESIGN DRAWN BY		DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECH	(ED_	APPROVED	DRAWING NO. REV. E		
	#		D3121 SHEET 1 OF 10		
DATE			TITLE SCALE		
07.1	1.07		BRACKET ASSEMBLY 1:2		
Α		02.04.15	NEW ISSUE		
В		03.01.16	ADD RIDGES; ADD MAT'L PROP; FIX P/N ADD -141/-143/-144/-145/-146		
C		04.02.17	ADD CLEARANCE; USE -241 BEARING		
D		06.05.17	D3121-25 CAP WAS 1.024, NOW 1.000		


D3121-21 BOLT (1)
D3121-241
DEADING ASSEMBLY (1)

D3121-041 BRACKET ASSEMBLY

07.11.07

(REPLACES PREMIER P/N B30-23000-33)


ADD TOLERANCE TO 0.032 (DETAIL B)




D3121-21 BOLT (1) D3121-241 BEARING ASSEMBLY (1) (2 PLACES)

D3121-043 (SHOWN) / D3121-044 (OPPOSITE) BRACKET ASSEMBLY

(REPLACES PREMIER P/N B30-23000-37/-38)





D3121-045 (SHOWN) / D3121-046 (OPPOSITE) BRACKET ASSEMBLY

(REPLACES PREMIER P/N B30-23000-35/-36)


D3121-15/-16 BRACKET

RETURN TO ENGINEERING UNCONTROLLED COP SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER NO. 38 59 1

SHOP COPY




DESIGN	DRAWN BY	DART AEROSP HAWKESBURY, ONTARI	
CHECKED	APPROVED	DRAWING NO.	REV. E
911		D3121	SHEET 2 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2






DESIGN	DRAWN BY	DART AEROS HAWKESBURY, ON	
CHECKED	APPROVED,	DRAWING NO.	REV. E
4H	-#	D3121	SHEET 3 OF 10
DATE		TITLE	SCALE
07.11.07	•	BRACKET ASSEMBLY	1:1

DETAIL A: SCALE 2:1 VIEW ROTATED






SECTION



DETAIL B: RIDGE DETAIL


PARTIAL SECTION SCALE 1:20

SHOP COPY RETURN TO **ENGINEERING** UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER





DESIGN	DRAWN BY	DART AEROS HAWKESBURY, ONT	
CHECKED	APPROVED,	DRAWING NO.	REV. E
#	-	D3121	SHEET 4 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:1




D3121-11 BRACKET

- 1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B)
 MIN ULTIMATE TENSILE = 150 ksi
 MIN YIELD TENSILE = 100 ksi
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 5) ENGRAVE DART P/N & LOGO AS SHOWN
- 6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

Copyright © 2004 by DART AEROSPACE LTD



DESIGN	DRAWN BY	DART AEROSI HAWKESBURY, ONTA	
CHECKED	APPROVED,	DRAWING NO.	REV. E
4	 	D3121	SHEET 5 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2



D3121-13 BRACKET (SHOWN) D3121-14 BRACKET (OPPOSITE)

1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B)

MIN ULTIMATE TENSILE STRENGTH = 150 ksi

MIN YIELD TENSILE STRENGTH = 100 ksi

- SHOP COPY
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED TURN TO
- 3) ALL DIMENSIONS ARE IN INCHES

ENGINEERING

4) BREAK ALL SHARP EDGES 0.005 TO 0.015

UNCONTROLLED COPY SUBJECT TO AMENDMENT

5) ENGRAVE DART P/N & LOGO AS SHOWN

WITHOUT NOTICE


WORK ORDER NO.

6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

Copyright © 2002 by DART AEROSPACE LTD



DESIGN #	DRAWN BY	DART AEROSP HAWKESBURY, ONTAR	
CHECKED	APPROVED	DRAWING NO.	REV. E
#	9	D3121	SHEET 6 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2



D3121-15 BRACKET (SHOWN) D3121-16 BRACKET (OPPOSITE)

1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B)

MIN ULTIMATE TENSILE = 150 ksi

MIN YIELD TENSILE = 100 ksi

SHOP COPY

RETURN TO

2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

ENGINEERING

3) ALL DIMENSIONS ARE IN INCHES

UNCONTROLLED COPY SUBJECT TO AMENDMENT

4) BREAK ALL SHARP EDGES 0.005 TO 0.015 5) ENGRAVE DART P/N AND LOGO AS SHOWN

WITHOUT NOTICE


WORK ORDER

6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

Copyright @ 2002 by DART AEROSPACE LTD



DESIGN A DRAWN BY		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECKED _	APPROVED	DRAWING NO.	REV. E	
4		D3121	SHEET 7 OF 10	
DATE		TITLE	SCALE	
07.11.07		BRACKET ASSEMBLY	1:2	



D3121-111 BRACKET

- 1) REPLACES PREMIER P/N B32-23001-11
- 2) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B)

MIN ULTIMATE TENSILE = 150 ksi MIN YIELD TENSILE = 100 ksi


- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHEWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 6) ENGRAVE DART P/N & LOGO IN AREAS SHOWN
- 7) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

SHOP COPY RETURN TO **ENGINEERING UNCONTROLLED COPY** SUBJECT TO AMENDMENT WITHOUT NOTICE

WORK ORDER




DESIGN 4	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECKED	APPROVED,	DRAWING NO.	REV. E	
4	1	D3121	SHEET 8 OF 10	
DATE		TITLE	SCALE	
07.11.07		BRACKET ASSEMBLY	1:2	






DESIGN #	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED,	DRAWING NO.	REV. E
#	-//-	D3121	SHEET 9 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2







D3121-21 BOLT (SCALE 1:1)

OTHERWISE NOTED

4) ALL DIMENSIONS ARE IN INCHES

1) MATERIAL: AISI 303 SS HEX, ANNEALED

3) TOLERANCES ARE PER DART QSI 018 UNLESS

5) BREAK ALL SHARP EDGES 0.005 TO 0.015

0.230±0.001 -

TAP 10-32 UNF-3A

0.050 TO 0.060


0.080

(REF DART SPEC. M303H0.500)

0.315


0.375 -

2) FINISH: NONE




D3121-17 WASHER (SCALE 2:1)

- 1) REPLACES PREMIER P/N B32-23001-17
- 2) MATERIAL: AISI 303 SS ROUND BAR, ANNEALED (REF DART SPEC. M303R)
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015



D3121-19 BEARING (SCALE 1:1)


- 1) POSSIBLE SUPPLIER: KING BEARING P/N 6000-2ZJ/EM FAFNIR P/N 9100KDD
- 2) ALL DIMENSIONS ARE IN INCHES



(REF DART SPEC. M-DELRIN-R1.250)

2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

ALL DIMENSIONS ARE IN INCHES




D3121-23 BEARING (SCALE 1:1)

1) POSSIBLE SUPPLIER: SKF P/N 61900-2Z OR KML P/N 6900-ZZ

DIMENSIONS ARE IN INCHES

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER NO._



D3121-241 BEARING ASSEBLY (SCALE 1:1)

100000

GENEI AL BEARING SERVICE . INC.

687 # S101979894

LE TO: BART ASSURINGE LTD. 1200 ARGUERN STREET APOESSWAN, DA

KSA-187

WALE WE SEE DR

CLISTOMER OFFER #1 /0.00086122

PST LICENCE: FIRE

ORDER DATE: APR 21, 2018

60:0:

WWW.gbs.ca 386 MAIN ST E, HARRESNURY, CATARILY KGA 188 (610) 432 4

G FALLYLESS CASTER
TO FAMILYLESS CASTER
B SAMETLESS CASTER
CALL DESIGNACION

19.21 + 15.81 | 29.56 | 1.29 |

G. b. 44

REC

ECENTED OF SHOOT STREET STATE OF STATE